



Food Safety & Nutrition

Cooking Outdoors Safely



Sandra Brown

Food Safety and Nutrition Faculty

Cooking outdoors was once only a summer activity shared with family and friends. Now more than half of Americans say they are cooking outdoors year round. So no matter the time of year, it's important to follow food safety guidelines to prevent harmful bacteria from multiplying and causing foodborne illness. Use these simple guidelines for grilling food safely.

Shopping:

When shopping, buy cold food like meat and poultry last, right before checkout. Separate raw meat and poultry from other food in your shopping cart. To guard against cross-contamination -- this can happen when raw meat or poultry juices drip on other food -- put packages of raw meat and poultry into plastic bags.

Plan to drive directly home from the grocery store. You may want to take a cooler with ice for perishables. Always refrigerate perishable food within 2 hours. Refrigerate within 1 hour when the temperature is above 90°F.

At home, place meat and poultry in the refrigerator immediately. Freeze poultry and ground meat that won't be used in 1 or 2 days; freeze other meat within 4 to 5 days.

Keep meat and poultry refrigerated until ready to use. Only take out the meat and poultry that will immediately be placed on the grill.

Defrost Safely

Completely defrost meat and poultry before grilling so it cooks more evenly. Use the refrigerator for slow, safe thawing or thaw sealed packages in cold water. You can microwave defrost if the food will be placed immediately on the grill.

Marinating

Meat and poultry can be marinated for several hours or days to tenderize or add flavor. Always marinate food in the refrigerator, not on the counter at room temperature. If some of the marinade is to be used as a sauce on the cooked food, reserve a portion of the marinade before putting raw meat and poultry in it. However, if do want to use some of the marinade that was used with the raw meat or poultry be to a boil the marinade first to destroy any harmful bacteria.

Keep Everything Clean

Be sure there are plenty of clean utensils and platters. To prevent foodborne illness, don't use the same platter and utensils for raw and cooked meat and poultry. Harmful bacteria present in raw meat and poultry and their juices

can contaminate safely cooked food. This would include pastry brushes used to marinate while cooking, and tongs or forks used to place raw meat on the grill.

Cook Thoroughly

Cook food to a safe internal temperature to destroy harmful bacteria. Meat and poultry cooked on a grill often browns very fast on the outside. Use a food thermometer to be sure the food has reached a safe internal temperature. Whole poultry should reach 180°F; breasts, 170°F. Hamburgers made of ground beef should reach 160°F; ground poultry, 165°F. Beef, veal, and lamb steaks, roasts and chops can be cooked to 145°F. All cuts of pork should reach 160°F.

Precooking food partially in the microwave, oven, or stove is a good way of reducing grilling time. Just make sure that the food goes immediately on the preheated grill to complete cooking.

NEVER partially grill meat or poultry and finish cooking later.

Serving the Food

When taking food off the grill, use a clean platter. Don't put cooked food on the same platter that held raw meat or poultry. Any harmful bacteria present in the raw meat juices could contaminate safely cooked food.

If you need to keep it warm until more food is cooked, place the food in a warming oven or off to the side of the grill to keep warm. Once the food is set out on the table and ready to serve, never leave the food sit out more than 1 hour if over 90°F.

Refrigerate any leftovers promptly in shallow containers. Discard any food left out more than 2 hours (1 hour if temperatures are above 90°F).

Safe Smoking

Smoking is cooking food indirectly in the presence of a fire. It can be done in a covered grill if a pan of water is placed beneath the meat on the grill; and meats can be smoked in a "smoker," which is an outdoor cooker especially designed for smoking foods. Smoking is done much more slowly than grilling, so less tender meats benefit from this method, and a natural smoke flavoring permeates the meat. The temperature in the smoker should be maintained at 250 to 300°F for safety.

Use a food thermometer to be sure the food has reached a safe internal temperature.

Pit Roasting

Pit roasting is cooking meat in a large, level hole dug in the earth. A hardwood fire is built in the pit, requiring wood equal to about 2 1/2 times the volume of the pit. The hardwood is allowed to burn until the wood reduces and the pit is half filled with burning coals. This can require 4 to 6 hours burning time.

Cooking may require 10 to 12 hours or more and is difficult to estimate. A meat thermometer must be used to determine the meat's safety and doneness. There are many variables such as outdoor temperature, the size and thickness of the meat, and how fast the coals are cooking.

Does Grilling Pose a Cancer Risk?

Some studies suggest there may be a cancer risk related to eating food cooked by high-heat cooking techniques as grilling, frying, and broiling. Based on present research findings, eating moderate amounts of grilled meats like fish, meat, and poultry cooked -- without charring -- to a safe temperature does not pose a problem.

To prevent charring, remove visible fat that can cause a flare-up. Precook meat in the microwave immediately before placing it on the grill to release some of the juices that can drop on coals. Cook food in the center of the grill and move coals to the side to prevent fat and juices from dripping on them. Cut charred portions off the meat.

For more information or food safety questions contact the WSU Extension office at 360-397-6060.
